

N300 Wireless **Cat 4 LTE & VoLTE** Router

WR624VL













Bulit-in Firewall

www.comnect.com.cn



Shenzhen Comnect Technology Co., Ltd

Description

WR624VL, a wireless Cat 4 LTE & VoLTE router, is the best choice for internet and voice service. It can be widely used in all walks of life anytime and everywhere. WR624VL creates 802.11 b/g/n WLAN network that can transfer data at speed of up to 300Mbps.

With the latest 4G and Wi-Fi technology, WR624VL allows you to enjoy high speed rate Wi-Fi service and always in Internet. The fast speed rates can make you enjoy HD movies without interruption; download in seconds and have video chat without dropouts; It also supports voice service, connecting desktop telephone to RJ11 Port so that you can make call anywhere without modem cable.










Smart Connection

The WR624VL provides WAN and LTE SIM two access options. This unique feature ensures a fast, smooth and "always on" network connection for your home. If the fixed internet connection should fail, this modem can easily switch to a 3G or 4G network automatically; In another way, the Internet can be replaced normally.



A Fast 4G LTE Mobile Network

Supporting the LTE Category 4 network standard, the WR624VL can reach up to 150Mbps download speeds and 50Mbps upload speeds. You can enjoy uninterrupted HD movies, rapid file downloads, and smooth video chats.










Wiring free, Whenever and Wherever

With LTE Advanced signal coverage for best performance, WR624VL allows you to receive Internet access without cable and fiber. WR624VL, a mobile network solution is the best choice for remote areas such as suburban area, seller store, restuarant, rental housing, small and medium-sized companies, providing the access to the Internet wherever and whenever the user is located.



4G Mobile SIM + WR624VL = Access to the Internet Instantly





Specifications

Hardware


• Mobile Communication System: CN

FDD-LTE: B1/B3/B5/B8 TDD-LTE: B34/B38/B39/B40/B41 WCDMA: B1/B5/B8 GSM: B3/B8

- Link Speed Rate (Max.): FDD-LTE: 150Mbps(DL)/50Mbps(UL) TDD-LTE: 130Mbps(DL)/30Mbps(DL)
- Power Supply: Input:110V-220V AC 50/60Hz DC:12V/1A
- External Interface: 4 X 10/100 Mbps RJ45 Ports, 1 X RJ11 Port 1 X SIM Slot, 1 X Micro-USB 2.0 Port 1 X PWR Port
- Button: WiFi/WPS Button Reset Hole ON/OFF Button
- Antenna: Two 5dBi LTE antennas Two 5dBi WiFi antennas
- Dimensions: (202 x 128 x 35)mm

comnect.

AU B1/B2/B3/B4/B5/B7/B8/B28/B66 B40 B1/B2/B4/B5/B8 B2/B3/B5/B8



ΕU

B1/B3/B7/B8/B20/B28 B38/B40/B41 B1/B8 B3/B8

Software Features

Internet Connection Type: FDD LTE/TDD LTE/UMTS/WCDMA/GSM	 Wireless S
• Function: Auto-APN	• Wireless S
VoLTE, CSFB Voice	• Wireless F
QoS Guest Network FOTA	• Wireless S
Standard TR069	Environm
• DHCP: Server, DHCP Reservation, Static Route, DDNS	• Operating T
Quality of Service: Download/Upload Speed control	 Storage Ter
Port Forwarding: Virtual Server, Port Triggering, DMZ	Relative Hu
• VPN: PPTP, L2TP	 Storage Hui
Access Control: URL Filter	Package (
Firewall Security: DoS, SPI Firewall, Port Filter, ACL Filter	• 1 x WR624
Management: Access Control	 1 x Power A
Local Management	
Remote Management	• 1 x RJ11 Ca
	• 1 x RJ45 Ca

• 1 x Quick Installation Guide

Standard: 802.11b/g/n Speed: 2.4GHz: Up to 300Mbps Frequency: 2.4GHz Security: WEP,WPA/WPA2,WPA-PSK/WPA2-PSK encryption

nent

Wireless

Temperature:0°C~40°C(32°F~104°F) mperature: -40°C~70°C (-40°F~158°F) umidity: 10%~90%, non-condensing imidity: 5%~95%, non-condensing

Contents

- VL Device
- Adapter
- able
- able

Specifications are subject to change without notice. Copyright ©2022 Shenzhen COMNECT Technology Co., Ltd. All rights reserved.